

Calculating zeros of a q -zeta function numerically

Ivan Cherednik

This note is an appendix to the previous paper “On q -analogues of Riemann’s zeta”. We will give an output of the computer program evaluating the zeros of the following modification of the “plus-sharp” q -zeta function:

$$\zeta^\#(k) = \sum_{j=0}^{\infty} \prod_{l=1}^j \frac{(1 - e^{-(l+2k-1)/a})(1 - e^{(l+k)/a})}{(1 - e^{-(l+k-1)/a})(1 - e^{l/a})} \frac{\exp(\frac{dk^2}{4a}) + 1}{\exp(\frac{d(k+j)^2}{4a}) + 1}. \quad (1)$$

Here $q = \exp(-1/a)$, $a, d > 0$.

These zeros are the deformations of the zeros $k = yi$ of the classical $\zeta(k + 1/2)$. They are considered in the horizontal strip

$$K(a, d) = \{k, 0 < \Im k < 2\epsilon\} \text{ for } \epsilon = \sqrt{\frac{\pi a}{2d}}. \quad (2)$$

We use the formula for the linear approximation z_a of the zero z corresponding to the classical yi .

$$z_a = yi \left(1 - \frac{4d^{-1}(1/2 + yi)\zeta_+(3/2 + yi) - d(-1 + yi)\zeta_+(-1/2 + yi)}{12a\zeta'_+(1/2 + yi)}\right) \\ \text{for } \zeta_+(s) = (1 - 2^{1-s})\zeta(s), \quad \zeta'_+(s) = d\zeta_+(s)/ds. \quad (3)$$

Given a classical zero, the program carefully verifies the existence of the zero z of $\zeta^\#$ in a neighborhood of z_a and evaluates z numerically. We did not try to reach high accuracy when calculating z . The procedure is a sequence of integrations over diminishing rectangles around the consecutive approximations.

The change of the $\arg(\zeta^\#)$ gives the number of the zeros (poles) inside the considered rectangle. In the tables below, this number is the difference between the first and the last *angles* divided by 2π .

We note that some (but not all) zeros can be found by means of the Newton method or its modifications. In the output, by *iterations* we mean the Newton iterations applied to the zero found by means of the integrations.

Actually the program is universal. It can be used for any function analytic in the upper half-plane if the approximations of the zeros are known, especially if the latter are near the imaginary axis. For instance, it can be applied in the soliton theory. However its main purpose is theoretical.

Notation:

- 1) $y * I$ = zero of ζ , z = zero of $\zeta^\#$, z_a = its linear approximation,
- 2) zn = the center of the rectangle of $re \times im$ - dimensions $2 * rd \times 2 * rad$,
- 3) zna is either z_a or the value of z after the last *good* integration,
- 4) $char$ is 1 minus the number of zeros in the considered rectangle,
- 5) $fo = \max\{1 + [2(|\alpha - \alpha'| - 1)]\}$ if $|\alpha - \alpha'| > 1$ for all pairs of the consecutive *angles*,
- 6) vv is $|\zeta^\#(z)|$ divided by $|\zeta^\#(zn)|$,
- 6a) in the final list of zeros, it is divided by the value at z_a ,
- 7) $10 * de$ is a certain upper boundary of the error for z ,
- 8) $[b * \sqrt{a/d}]$ is the number of terms in the sum (1),
- 9) $4 * c$ is the number of points on the rectangle used for the integration,

- 10) *good* mainly means that $char = 0, fo \leq 2, vv < 0.8$,
- 10a) the resulting z is inside the integration rectangle, and
- 10b) $|\zeta^\#(z)|$ is not bigger than the previous *good* absolute value,
- 11) *very good* is the second consecutive *good* with $fo \leq 1$ and admissible de, vv .

The program is entirely automated. It changes the center zn and the dimensions $2rd \times 2rad$ after each integration. If the result of the integration is *good* then rd and rad are divided by 2. A *very good* integration concludes the consideration of a given classical zero. The program adds more points to the rectangles, more integrations, and more variants if necessary. We note that each *angle* in the output is actually the sum of 4 angles over 4 points located on the different sides of a given integration rectangle.

Let $a = 750$, $d = 2$, initial $c = 4$. The b are calculated automatically.

PROGRAM: Q-ZEROS of SHARP ZETA

CLASSICAL ZEROS AND APPROXIMATIONS:

d= 2 a= 750 ALL ZEROS TILL 48.5406:

```

1 y= 14.1347 za= 0.1303 + 14.1465 I b= 15
2 y= 21.0220 za= 0.3504 + 21.0771 I b= 15
3 y= 25.0109 za= 0.5745 + 24.9643 I b= 15
4 y= 30.4249 za= 0.9134 + 30.4077 I b= 15
5 y= 32.9351 za= 1.0998 + 33.0854 I b= 15
6 y= 37.5862 za= 1.7675 + 38.1895 I b= 20
7 y= 40.9187 za= 1.9141 + 40.7816 I b= 20
8 y= 43.3271 za= 2.4497 + 43.3138 I b= 20
9 y= 48.0052 za= 3.1103 + 47.5578 I b= 20

```

FINAL LIST OF Q-ZEROS:

```

very good 1 14.1347 z: 0.1304 + 14.1450 I
za= 0.1303 + 14.1465 I de= 0.000001 vv= 0.000001

very good 2 21.0220 z: 0.3514 + 21.0702 I
za= 0.3504 + 21.0771 I de= 0.000001 vv= 0.000001

very good 3 25.0109 z: 0.5641 + 24.9586 I
za= 0.5745 + 24.9643 I de= 0.000001 vv= 0.000001

very good 4 30.4249 z: 0.9046 + 30.4014 I
za= 0.9134 + 30.4077 I de= 0.000001 vv= 0.000019

very good 5 32.9351 z: 1.1051 + 33.0341 I
za= 1.0998 + 33.0854 I de= 0.000001 vv= 0.000116

very good 6 37.5862 z: 1.6449 + 37.9659 I
za= 1.7675 + 38.1895 I de= 0.000040 vv= 0.001053

very good 7 40.9187 z: 1.9080 + 40.8119 I
za= 1.9141 + 40.7816 I de= 0.000031 vv= 0.013871

very good 8 43.3271 z: 2.2860 + 43.2485 I
za= 2.4497 + 43.3138 I de= 0.000030 vv= 0.001586

very good 9 48.0052 z: 2.9259 + 47.8424 I
za= 3.1103 + 47.5578 I de= 0.000005 vv= 0.003049

```

VARIANT= 1 c= 4

no= 1 y= 14.1347 b= 15 c= 4
 zna= 0.130263 + 14.1465 I
 zn= 0.130263 + 14.1465 I
 rd= 0.0477578 rad= 0.0238789
 angles over the rd*rad rectangle:
 1 -2.79498
 1 1 -3.00821
 1 2 -3.25288
 1 3 -3.53768
 2 -3.87423
 2 1 -4.27666
 2 2 -4.75796
 2 3 -5.31955
 3 -5.93574
 3 1 -6.55215
 3 2 -7.11419
 3 3 -7.59589
 4 -7.99857
 4 1 -8.33527
 4 2 -8.62015
 4 3 -8.86488
 5 -9.07817
 char= 0. fo= 0
 rd= 0.0477578 rad= 0.0238789
 z= 0.130488 + 14.1452 I
 zn= 0.130263 + 14.1465 I
 vv= 0.136129
 good

no= 1 y= 14.1347 b= 15 c= 4
 zna= 0.130488 + 14.1452 I
 zn= 0.130461 + 14.1453 I
 rd= 0.0238789 rad= 0.0119394
 angles over the rd*rad rectangle:
 1 2.26652
 1 1 2.05311
 1 2 1.80819
 1 3 1.52302
 2 1.18598
 2 1 0.782973
 2 2 0.301227
 2 3 -0.26021
 3 -0.875348
 3 1 -1.49038
 3 2 -2.0516
 3 3 -2.53316
 4 -2.93607
 4 1 -3.27309
 4 2 -3.55826

4 3 -3.80322
 5 -4.01667
 char= 0. fo= 0
 rd= 0.0238789 rad= 0.0119394
 z= 0.130414 + 14.145 I
 zn= 0.130461 + 14.1453 I
 vv= 0.250379
 good

second try:

no= 1 y= 14.1347 b= 15 c= 6
 zna= 0.130414 + 14.145 I
 zn= 0.130414 + 14.145 I
 rd= 0.0119394 rad= 0.00596972
 angles over the rd*rad rectangle:
 1 1.05302
 2 0.409533
 3 -0.582258
 3 1 -0.912566
 3 2 -1.2788
 3 3 -1.67502
 4 -2.08862
 4 1 -2.50221
 4 2 -2.89841
 4 3 -3.26462
 5 -3.5949
 6 -4.58666
 7 -5.23017
 char= 0. fo= 0
 rd= 0.0119394 rad= 0.00596972
 z= 0.130402 + 14.145 I
 zn= 0.130414 + 14.145 I
 vv= 0.495182
 good

no= 1 y= 14.1347 b= 15 c= 6
 zna= 0.130402 + 14.145 I
 zn= 0.130406 + 14.145 I
 rd= 0.00596972 rad= 0.00298486
 angles over the rd*rad rectangle:
 1 1.02567
 2 0.382187
 3 -0.609613
 3 1 -0.939931
 3 2 -1.30618
 3 3 -1.70242
 4 -2.11602
 4 1 -2.52962
 4 2 -2.92581
 4 3 -3.29201
 5 -3.62228

6 -4.61402
 7 -5.25752
 char= 0. fo= 0
 rd= 0.00596972 rad= 0.00298486
 z= 0.130392 + 14.145 I
 zn= 0.130406 + 14.145 I
 vv= 0.250002
 good
 very good
 iterations:
 z=0.130389 + 14.145 I
 vv=0.0000188769

no= 2 y= 21.022 b= 15 c= 4
 zna= 0.35044 + 21.0771 I
 zn= 0.35044 + 21.0771 I
 rd= 0.129534 rad= 0.064767
 angles over the rd*rad rectangle:

1 -2.56518
 1 1 -2.77792
 1 2 -3.02189
 1 3 -3.30573
 2 -3.64099
 2 1 -4.04187
 2 2 -4.52194
 2 3 -5.08381
 3 -5.70266
 3 1 -6.32267
 3 2 -6.88694
 3 3 -7.36905
 4 -7.77118
 4 1 -8.10708
 4 2 -8.39126
 4 3 -8.63545
 5 -8.84837

char= 0. fo= 0
 rd= 0.129534 rad= 0.064767
 z= 0.352258 + 21.0712 I
 zn= 0.35044 + 21.0771 I
 vv= 0.177848
 good

no= 2 y= 21.022 b= 15 c= 4
 zna= 0.352258 + 21.0712 I
 zn= 0.351984 + 21.0721 I
 rd= 0.064767 rad= 0.0323835
 angles over the rd*rad rectangle:
 1 2.01358
 1 1 1.80038
 1 2 1.5557
 1 3 1.2708
 2 0.933995

2 1 0.531067
 2 2 0.0490028
 2 3 -0.513352
 3 -1.1297
 3 1 -1.74542
 3 2 -2.30648
 3 3 -2.78749
 4 -3.18985
 4 1 -3.52646
 4 2 -3.81139
 4 3 -4.05621
 5 -4.26961

char= 0. fo= 0
 rd= 0.064767 rad= 0.0323835
 z= 0.35165 + 21.0705 I
 zn= 0.351984 + 21.0721 I
 vv= 0.250897
 good

second try:

no= 2 y= 21.022 b= 15 c= 6
 zna= 0.35165 + 21.0705 I
 zn= 0.35165 + 21.0705 I
 rd= 0.0323835 rad= 0.0161918
 angles over the rd*rad rectangle:

1 0.334116
 2 -0.309329
 3 -1.3012
 3 1 -1.63157
 3 2 -1.99788
 3 3 -2.39417
 4 -2.8078
 4 1 -3.22137
 4 2 -3.61751
 4 3 -3.98365
 5 -4.31387
 6 -5.30554
 7 -5.94907

char= 0. fo= 0
 rd= 0.0323835 rad= 0.0161918
 z= 0.351549 + 21.0703 I
 zn= 0.35165 + 21.0705 I
 vv= 0.496271
 good

no= 2 y= 21.022 b= 15 c= 6
 zna= 0.351549 + 21.0703 I
 zn= 0.351583 + 21.0704 I
 rd= 0.0161918 rad= 0.00809588
 angles over the rd*rad rectangle:
 1 0.30616

```

2 -0.337286
3 -1.32924
3 1 -1.65967
3 2 -2.02606
3 3 -2.42241
4 -2.83607
4 1 -3.24963
4 2 -3.64572
4 3 -4.0118
5 -4.34196
6 -5.33351
7 -5.97703
char= 0. fo= 0
rd= 0.0161918 rad= 0.00809588
z= 0.351473 + 21.0702 I
zn= 0.351583 + 21.0704 I
vv= 0.249984
good
very good
iterations:
z=0.351447 + 21.0702 I
vv=0.00027944

no= 3 y= 25.0109 b= 15 c= 4
zna= 0.574478 + 24.9643 I
zn= 0.574478 + 24.9643 I
rd= 0.210457 rad= 0.105228
angles over the rd*rad rectangle:
1 -1.13776
1 1 -1.35014
1 2 -1.59447
1 3 -1.8797
2 -2.21773
2 1 -2.62288
2 2 -3.10757
2 3 -3.671
3 -4.28463
3 1 -4.89496
3 2 -5.45168
3 3 -5.93109
4 -6.33392
4 1 -6.67202
4 2 -6.95879
4 3 -7.20557
5 -7.42095
char= 0. fo= 0
rd= 0.210457 rad= 0.105228
z= 0.565775 + 24.9608 I
zn= 0.574478 + 24.9643 I
vv= 0.226358
good

```

```

no= 3 y= 25.0109 b= 15 c= 4
zna= 0.565775 + 24.9608 I
zn= 0.567381 + 24.9614 I
rd= 0.105228 rad= 0.0526142
angles over the rd*rad rectangle:
1 -0.289756
1 1 -0.502799
1 2 -0.747503
1 3 -1.03271
2 -1.37022
2 1 -1.77434
2 2 -2.2579
2 3 -2.82116
3 -3.43662
3 1 -4.04992
3 2 -4.60876
3 3 -5.08871
4 -5.49097
4 1 -5.82798
4 2 -6.11349
4 3 -6.35893
5 -6.57294
char= 0. fo= 0
rd= 0.105228 rad= 0.0526142
z= 0.564553 + 24.9592 I
zn= 0.567381 + 24.9614 I
vv= 0.252223
good

second try:

no= 3 y= 25.0109 b= 15 c= 6
zna= 0.564553 + 24.9592 I
zn= 0.564553 + 24.9592 I
rd= 0.0526142 rad= 0.0263071
angles over the rd*rad rectangle:
1 0.445348
2 -0.197914
3 -1.18976
3 1 -1.52017
3 2 -1.88655
3 3 -2.28291
4 -2.69659
4 1 -3.11016
4 2 -3.50627
4 3 -3.87236
5 -4.20253
6 -5.19416
7 -5.83784
char= 0. fo= 0
rd= 0.0526142 rad= 0.0263071
z= 0.564342 + 24.9589 I

```

```

zn= 0.564553 + 24.9592 I
vv= 0.498128
good

no= 3 y= 25.0109 b= 15 c= 6
zna= 0.564342 + 24.9589 I
zn= 0.564412 + 24.959 I
rd= 0.0263071 rad= 0.0131536
angles over the rd*rad rectangle:
1 0.405824
2 -0.237536
3 -1.22959
3 1 -1.56014
3 2 -1.92665
3 3 -2.32313
4 -2.73687
4 1 -3.15043
4 2 -3.54645
4 3 -3.91242
5 -4.24247
6 -5.23382
7 -5.87736
char= 0. fo= 0
rd= 0.0263071 rad= 0.0131536
z= 0.564177 + 24.9587 I
zn= 0.564412 + 24.959 I
vv= 0.250036
good
very good
iterations:
z=0.564122 + 24.9586 I
vv=0.000542266

no= 4 y= 30.4249 b= 15 c= 4
zna= 0.913386 + 30.4077 I
zn= 0.913386 + 30.4077 I
rd= 0.333581 rad= 0.16679
angles over the rd*rad rectangle:
1 -0.681479
1 1 -0.893326
1 2 -1.13696
1 3 -1.42118
2 -1.75773
2 1 -2.16079
2 2 -2.64308
2 3 -3.20501
3 -3.81972
3 1 -4.43334
3 2 -4.99326
3 3 -5.47442
4 -5.87778
4 1 -6.21587

```

```

4 2 -6.5025
4 3 -6.74921
5 -6.96466
char= 0. fo= 0
rd= 0.333581 rad= 0.16679
z= 0.909368 + 30.4063 I
zn= 0.913386 + 30.4077 I
vv= 0.627134
good

no= 4 y= 30.4249 b= 15 c= 4
zna= 0.909368 + 30.4063 I
zn= 0.910917 + 30.4068 I
rd= 0.16679 rad= 0.0833952
angles over the rd*rad rectangle:
1 -0.314662
1 1 -0.527545
1 2 -0.772143
1 3 -1.05735
2 -1.39509
2 1 -1.79975
2 2 -2.28424
2 3 -2.84845
3 -3.46416
3 1 -4.07668
3 2 -4.63436
3 3 -5.11349
4 -5.51536
4 1 -5.85231
4 2 -6.13793
4 3 -6.38359
5 -6.59785
char= 0. fo= 0
rd= 0.16679 rad= 0.0833952
z= 0.905809 + 30.4026 I
zn= 0.910917 + 30.4068 I
vv= 0.244024
good

second try:

no= 4 y= 30.4249 b= 15 c= 6
zna= 0.905809 + 30.4026 I
zn= 0.905809 + 30.4026 I
rd= 0.0833952 rad= 0.0416976
angles over the rd*rad rectangle:
1 -0.101447
2 -0.744697
3 -1.73688
3 1 -2.06747
3 2 -2.43404
3 3 -2.83055

```

```

4 -3.2442
4 1 -3.65765
4 2 -4.05353
4 3 -4.41934
5 -4.74937
6 -5.7408
7 -6.38463
char= 0. fo= 0
rd= 0.0833952 rad= 0.0416976
z= 0.905214 + 30.402 I
zn= 0.905809 + 30.4026 I
vv= 0.497814
good

no= 4 y= 30.4249 b= 15 c= 6
zna= 0.905214 + 30.402 I
zn= 0.905412 + 30.4022 I
rd= 0.0416976 rad= 0.0208488
angles over the rd*rad rectangle:
1 -0.151109
2 -0.794509
3 -1.78724
3 1 -2.11812
3 2 -2.48499
3 3 -2.88165
4 -3.29543
4 1 -3.7088
4 2 -4.10433
4 3 -4.46984
5 -4.79955
6 -5.79056
7 -6.43429
char= 0. fo= 0
rd= 0.0416976 rad= 0.0208488
z= 0.904746 + 30.4015 I
zn= 0.905412 + 30.4022 I
vv= 0.249506
good

no= 5 y= 32.9351 b= 15 c= 4
zna= 1.09982 + 33.0854 I
zn= 1.09982 + 33.0854 I
rd= 0.405333 rad= 0.202666
angles over the rd*rad rectangle:
1 -2.76933
1 1 -2.97572
1 2 -3.21238
1 3 -3.48756
2 -3.81255
2 1 -4.20243
2 2 -4.67463
2 3 -5.24022

```

```

3 -5.87965
3 1 -6.52496
3 2 -7.10238
3 3 -7.58516
4 -7.98297
4 1 -8.31438
4 2 -8.59568
4 3 -8.83886
5 -9.05251
char= 0. fo= 0
rd= 0.405333 rad= 0.202666
z= 1.11278 + 33.0399 I
zn= 1.09982 + 33.0854 I
vv= 0.176273
good

no= 5 y= 32.9351 b= 15 c= 4
zna= 1.11278 + 33.0399 I
zn= 1.11083 + 33.0467 I
rd= 0.202666 rad= 0.101333
angles over the rd*rad rectangle:
1 1.44051
1 1 1.22913
1 2 0.986248
1 3 0.702958
2 0.36725
2 1 -0.0359012
2 2 -0.520682
2 3 -1.08877
3 -1.71112
3 1 -2.32861
3 2 -2.88712
3 3 -3.36441
4 -3.76398
4 1 -4.09905
4 2 -4.38348
4 3 -4.62856
5 -4.84267
char= 0. fo= 0
rd= 0.202666 rad= 0.101333
z= 1.10703 + 33.0356 I
zn= 1.11083 + 33.0467 I
vv= 0.252102
good

second try:

no= 5 y= 32.9351 b= 15 c= 6
zna= 1.10703 + 33.0356 I
zn= 1.10703 + 33.0356 I
rd= 0.101333 rad= 0.0506666
angles over the rd*rad rectangle:

```

```

1 -0.417857
2 -1.06077
3 -2.05313
3 1 -2.38381
3 2 -2.75047
3 3 -3.14699
4 -3.56074
4 1 -3.97409
4 2 -4.36961
4 3 -4.73524
5 -5.06523
6 -6.0567
7 -6.70105
char= 0. fo= 0
rd= 0.101333 rad= 0.0506666
z= 1.10609 + 33.0348 I
zn= 1.10703 + 33.0356 I
vv= 0.502104
good

no= 5 y= 32.9351 b= 15 c= 6
zna= 1.10609 + 33.0348 I
zn= 1.1064 + 33.035 I
rd= 0.0506666 rad= 0.0253333
angles over the rd*rad rectangle:
1 -0.459909
2 -1.10327
3 -2.0966
3 1 -2.42765
3 2 -2.79487
3 3 -3.19158
4 -3.6054
4 1 -4.01845
4 2 -4.41347
4 3 -4.77897
5 -5.1083
6 -6.09915
7 -6.74312
char= 0. fo= 0
rd= 0.0506666 rad= 0.0253333
z= 1.10535 + 33.0342 I
zn= 1.1064 + 33.035 I
vv= 0.250262
good
very good
iterations:
z=1.1051 + 33.034 I
vv=0.0207832

no= 6 y= 37.5862 b= 20 c= 4
zna= 1.76753 + 38.1895 I
zn= 1.76753 + 38.1895 I

```

```

rd= 0.5 rad= 0.25
angles over the rd*rad rectangle:
1 1.31082
2 0.586877
2 1 0.22623
2 2 -1.07829
2 new 0.586877
2 1 0.435554
2 2 0.22623
2 3 -0.149968
2 4 -1.07829
2 5 -2.09925
2 6 -2.52703
2 7 -2.76634
3 -2.9474
3 1 -3.25021
3 2 -3.52701
3 3 -3.793
4 -4.05083
5 -4.97236
char= 0. fo= 1
rd= 0.5 rad= 0.25
z= 1.6622 + 37.9732 I
zn= 1.76753 + 38.1895 I
vv= 0.0459034
good

no= 6 y= 37.5862 b= 20 c= 4
zna= 1.69731 + 38.0453 I
zn= 1.66683 + 37.9827 I
rd= 0.25 rad= 0.125
angles over the rd*rad rectangle:
1 -0.525067
1 1 -0.73675
1 2 -0.981341
1 3 -1.26771
2 -1.60898
2 1 -2.02142
2 2 -2.51782
2 3 -3.09305
3 -3.70924
3 1 -4.31009
3 2 -4.85343
3 3 -5.32232
4 -5.72005
4 1 -6.05667
4 2 -6.34362
4 3 -6.59129
5 -6.80825
char= 0. fo= 0
rd= 0.25 rad= 0.125
z= 1.64767 + 37.9678 I

```


zn= 1.66683 + 37.9827 I
 vv= 0.192703
 good

second try:

no= 6 y= 37.5862 b= 20 c= 6
 zna= 1.64767 + 37.9678 I
 zn= 1.64767 + 37.9678 I
 rd= 0.125 rad= 0.0625
 angles over the rd*rad rectangle:
 1 -0.723796
 2 -1.36698
 3 -2.35965
 3 1 -2.69088
 3 2 -3.05835
 3 3 -3.4537
 4 -3.86757
 4 1 -4.28133
 4 2 -4.67449
 4 3 -5.04026
 5 -5.37102
 6 -6.36244
 7 -7.00698
 char= 0. fo= 0
 rd= 0.125 rad= 0.0625
 z= 1.6462 + 37.9666 I
 zn= 1.64767 + 37.9678 I
 vv= 0.512907
 good

no= 6 y= 37.5862 b= 20 c= 6
 zna= 1.6462 + 37.9666 I
 zn= 1.6467 + 37.967 I
 rd= 0.0625 rad= 0.03125
 angles over the rd*rad rectangle:
 1 -0.861441
 2 -1.50514
 3 -2.5004
 3 1 -2.83125
 3 2 -3.1998
 3 3 -3.59624
 4 -4.01044
 4 1 -4.42139
 4 2 -4.81491
 4 3 -5.18145
 5 -5.50947
 6 -6.49934
 7 -7.14463
 char= 0. fo= 0
 rd= 0.0625 rad= 0.03125
 z= 1.64494 + 37.9659 I

zn= 1.6467 + 37.967 I
 vv= 0.232099
 good
 very good
 iterations do not work

no= 7 y= 40.9187 b= 20 c= 4
 zna= 1.9141 + 40.7816 I
 zn= 1.9141 + 40.7816 I
 rd= 0.5 rad= 0.25
 angles over the rd*rad rectangle:
 1 -2.35413
 1 1 -2.56065
 1 2 -2.79839
 1 3 -3.07707
 2 -3.40794
 2 1 -3.80464
 2 2 -4.28063
 2 3 -4.84018
 3 -5.459
 3 1 -6.08126
 3 2 -6.64756
 3 3 -7.13198
 4 -7.53793
 4 1 -7.87772
 4 2 -8.16663
 4 3 -8.41707
 5 -8.63731
 char= 0. fo= 0
 rd= 0.5 rad= 0.25
 z= 1.92012 + 40.8209 I
 zn= 1.9141 + 40.7816 I
 vv= 0.544958
 good

no= 7 y= 40.9187 b= 20 c= 4
 zna= 1.92012 + 40.8209 I
 zn= 1.918 + 40.8071 I
 rd= 0.25 rad= 0.125
 angles over the rd*rad rectangle:
 1 1.45608
 1 1 1.24379
 1 2 0.999723
 1 3 0.714207
 2 0.37875
 2 1 -0.02443
 2 2 -0.502504
 2 3 -1.06163
 3 -1.67244
 3 1 -2.28494
 3 2 -2.849
 3 3 -3.33314

4 -3.73864
 4 1 -4.07763
 4 2 -4.36536
 4 3 -4.61165
 5 -4.82714
 char= 0. fo= 0
 rd= 0.25 rad= 0.125
 z= 1.91055 + 40.8136 I
 zn= 1.918 + 40.8071 I
 vv= 0.225127
 good

second try:

no= 7 y= 40.9187 b= 20 c= 6
 zna= 1.91055 + 40.8136 I
 zn= 1.91055 + 40.8136 I
 rd= 0.125 rad= 0.0625
 angles over the rd*rad rectangle:
 1 -0.744738
 2 -1.38803
 3 -2.37935
 3 1 -2.71058
 3 2 -3.078
 3 3 -3.47346
 4 -3.88863
 4 1 -4.30088
 4 2 -4.6961
 4 3 -5.06075
 5 -5.39018
 6 -6.38198
 7 -7.02792
 char= 0. fo= 0
 rd= 0.125 rad= 0.0625
 z= 1.90905 + 40.8125 I
 zn= 1.91055 + 40.8136 I
 vv= 0.463925
 good

no= 7 y= 40.9187 b= 20 c= 6
 zna= 1.90905 + 40.8125 I
 zn= 1.90953 + 40.8129 I
 rd= 0.0625 rad= 0.03125
 angles over the rd*rad rectangle:
 1 -0.921727
 2 -1.56266
 3 -2.55779
 3 1 -2.89042
 3 2 -3.26241
 3 3 -3.65551
 4 -4.0676
 4 1 -4.48351

4 2 -4.87042
 4 3 -5.24271
 5 -5.57032
 6 -6.55652
 7 -7.20491
 char= 0. fo= 0
 rd= 0.0625 rad= 0.03125
 z= 1.908 + 40.8119 I
 zn= 1.90953 + 40.8129 I
 vv= 0.243719
 good
 very good
 iterations do not work

no= 8 y= 43.3271 b= 20 c= 4
 zna= 2.44967 + 43.3138 I
 zn= 2.44967 + 43.3138 I
 rd= 0.5 rad= 0.25
 angles over the rd*rad rectangle:
 1 -1.61602
 1 1 -1.83468
 1 2 -2.10201
 1 3 -2.43246
 2 -2.8472
 2 1 -3.35542
 2 2 -3.9102
 2 3 -4.4511
 3 -4.9509
 3 1 -5.41813
 3 2 -5.86163
 3 3 -6.28312
 4 -6.6786
 4 1 -7.03872
 4 2 -7.36158
 4 3 -7.64693
 5 -7.89921
 char= 0. fo= 0
 rd= 0.5 rad= 0.25
 z= 2.29315 + 43.2565 I
 zn= 2.44967 + 43.3138 I
 vv= 0.049899
 good

no= 8 y= 43.3271 b= 20 c= 4
 zna= 2.29315 + 43.2565 I
 zn= 2.30059 + 43.2592 I
 rd= 0.25 rad= 0.125
 angles over the rd*rad rectangle:
 1 -0.632114
 1 1 -0.844933
 1 2 -1.08782
 1 3 -1.37466

```

2 -1.7122
2 1 -2.11869
2 2 -2.60296
2 3 -3.16815
3 -3.7831
3 1 -4.39779
3 2 -4.95012
3 3 -5.42485
4 -5.82729
4 1 -6.16506
4 2 -6.45158
4 3 -6.70026
5 -6.9153
char= 0. fo= 0
rd= 0.25 rad= 0.125
z= 2.28858 + 43.2501 I
zn= 2.30059 + 43.2592 I
vv= 0.305191
good
second try:

no= 8 y= 43.3271 b= 20 c= 6
zna= 2.28858 + 43.2501 I
zn= 2.28858 + 43.2501 I
rd= 0.125 rad= 0.0625
angles over the rd*rad rectangle:
1 -1.00531
2 -1.64511
3 -2.63818
3 1 -2.96883
3 2 -3.33458
3 3 -3.72935
4 -4.15314
4 1 -4.56094
4 2 -4.95928
4 3 -5.32061
5 -5.6524
6 -6.641
7 -7.2885
char= 0. fo= 0
rd= 0.125 rad= 0.0625
z= 2.28718 + 43.249 I
zn= 2.28858 + 43.2501 I
vv= 0.467616
good

no= 8 y= 43.3271 b= 20 c= 6
zna= 2.28718 + 43.249 I
zn= 2.28762 + 43.2494 I
rd= 0.0625 rad= 0.03125
angles over the rd*rad rectangle:

```

```

1 -1.20849
2 -1.858
3 -2.84843
3 1 -3.18015
3 2 -3.55535
3 3 -3.94177
4 -4.35293
4 1 -4.77126
4 2 -5.16281
4 3 -5.53312
5 -5.85965
6 -6.85195
7 -7.49168
char= 0. fo= 0
rd= 0.0625 rad= 0.03125
z= 2.28604 + 43.2485 I
zn= 2.28762 + 43.2494 I
vv= 0.22265
good
very good
iterations do not work

no= 9 y= 48.0052 b= 20 c= 4
zna= 3.11028 + 47.5578 I
zn= 3.11028 + 47.5578 I
rd= 0.5 rad= 0.25
angles over the rd*rad rectangle:
1 -1.38493
2 -2.21348
3 -2.9527
3 1 -3.05309
3 2 -2.96753
3 3 -2.01601
4 -1.18241
5 -1.38493
char= 1. fo= 0
rd= 0.5 rad= 0.25
z= 2.98924 + 47.3299 I
zn= 3.11028 + 47.5578 I
vv= 0.895232

no= 9 y= 48.0052 b= 20 c= 4
zna= 3.11028 + 47.5578 I
zn= 3.08002 + 47.5009 I
rd= 1. rad= 0.5
angles over the rd*rad rectangle:
1 -1.91196
2 -2.75572
2 1 -3.02683
2 2 -3.33321
2 3 -3.70806
3 -4.21951

```

3 1 -5.04389
 3 2 -6.01395
 3 3 -6.6674
 4 -7.11581
 4 1 -7.46582
 4 2 -7.7524
 4 3 -7.98942
 5 -8.19515
 char= 0. fo= 0
 rd= 1. rad= 0.5
 z= 3.28887 + 47.8094 I
 zn= 3.08002 + 47.5009 I
 vv= 2.16026

second try:

no= 9 y= 48.0052 b= 20 c= 6
 zna= 3.11028 + 47.5578 I
 zn= 3.11028 + 47.5578 I
 rd= 0.812049 rad= 0.406024
 angles over the rd*rad rectangle:
 1 -1.28591
 2 -1.83358
 3 -2.53892
 4 -3.50803
 4 1 -3.88532
 4 2 -4.4221
 4 3 -5.11249
 5 -5.72593
 5 1 -6.15537
 5 2 -6.47188
 5 3 -6.71562
 6 -6.92932
 7 -7.56797
 char= 0.000180379 fo= 0
 rd= 0.812049 rad= 0.406024
 z= 3.05445 + 47.9338 I
 zn= 3.11028 + 47.5578 I
 vv= 0.843354

no= 9 y= 48.0052 b= 20 c= 6
 zna= 3.11028 + 47.5578 I
 zn= 3.08468 + 47.7302 I
 rd= 0.609037 rad= 0.304518
 angles over the rd*rad rectangle:
 1 0.371705
 2 -0.26843
 3 -1.14232
 3 1 -1.40267
 3 2 -1.68278
 3 3 -1.97787
 4 -2.30382

4 1 -2.66226
 4 2 -3.05396
 4 3 -3.47895
 5 -3.88863
 5 1 -4.28275
 5 2 -4.61402
 5 3 -4.90167
 6 -5.15322
 7 -5.91129
 char= 0. fo= 0
 rd= 0.609037 rad= 0.304518
 z= 2.96001 + 47.8662 I
 zn= 3.08468 + 47.7302 I
 vv= 0.225039
 good

VARIANT= 2 c= 6

no= 4 y= 30.4249 b= 15 c= 6
 zna= 0.904746 + 30.4015 I
 zn= 0.904746 + 30.4015 I
 rd= 0.00251499 rad= 0.00125749
 angles over the rd*rad rectangle:
 1 -0.214344
 2 -0.8561
 2 1 -1.06313
 2 2 -1.29739
 2 3 -1.5615
 3 -1.85971
 3 1 -2.19599
 3 2 -2.56697
 3 3 -2.96901
 4 -3.38244
 4 1 -3.79389
 4 2 -4.18433
 4 3 -4.54339
 5 -4.86709
 6 -5.85195
 7 -6.49735
 char= 0. fo= 0
 rd= 0.00251499 rad= 0.00125749
 z= 0.90459 + 30.4014 I
 zn= 0.904746 + 30.4015 I
 vv= 0.00484321
 good

no= 4 y= 30.4249 b= 15 c= 6
 zna= 0.90459 + 30.4014 I
 zn= 0.904591 + 30.4014 I
 rd= 0.00125749 rad= 0.000628747
 angles over the rd*rad rectangle:
 1 -2.11878

```

2 -2.76408
3 -3.75334
3 1 -4.0849
3 2 -4.45175
3 3 -4.84679
4 -5.25976
4 1 -5.67336
4 2 -6.06929
4 3 -6.43586
5 -6.76651
6 -7.75825
7 -8.40196
char= 0. fo= 0
rd= 0.00125749 rad= 0.000628747
z= 0.90459 + 30.4014 I
zn= 0.904591 + 30.4014 I
vv= 0.206104
good
very good
iterations do not work

no= 9 y= 48.0052 b= 20 c= 6
zna= 2.96001 + 47.8662 I
zn= 2.96001 + 47.8662 I
rd= 0.573699 rad= 0.286849
angles over the rd*rad rectangle:
1 -1.03279
2 -1.57682
3 -2.48568
3 1 -2.79493
3 2 -3.14634
3 3 -3.5278
4 -3.92849
4 1 -4.33505
4 2 -4.71914
4 3 -5.08949
5 -5.42839
5 1 -5.73976
5 2 -6.02718
5 3 -6.29151
6 -6.5358
7 -7.31639
char= 0. fo= 0
rd= 0.573699 rad= 0.286849
z= 2.95364 + 47.8503 I
zn= 2.96001 + 47.8662 I
vv= 0.660047
good

no= 9 y= 48.0052 b= 20 c= 6
zna= 2.95364 + 47.8503 I
zn= 2.95617 + 47.8566 I

```

```

rd= 0.286849 rad= 0.143425
angles over the rd*rad rectangle:
1 -1.35265
2 -1.97964
3 -2.97403
3 1 -3.31052
3 2 -3.68183
3 3 -4.07544
4 -4.48391
4 1 -4.8804
4 2 -5.25409
4 3 -5.62115
5 -5.94686
5 1 -6.23352
5 2 -6.49998
5 3 -6.74385
6 -6.95322
7 -7.63583
char= 0. fo= 0
rd= 0.286849 rad= 0.143425
z= 2.93263 + 47.8449 I
zn= 2.95617 + 47.8566 I
vv= 0.246155
good

no= 9 y= 48.0052 b= 20 c= 6
zna= 2.93263 + 47.8449 I
zn= 2.93728 + 47.8472 I
rd= 0.143425 rad= 0.0717123
angles over the rd*rad rectangle:
1 -1.42112
2 -2.05974
3 -3.04324
3 1 -3.39571
3 2 -3.75441
3 3 -4.16734
4 -4.56347
4 1 -4.96311
4 2 -5.35354
4 3 -5.72723
5 -6.07143
6 -7.04948
7 -7.70311
char= 0.000189447 fo= 0
rd= 0.143425 rad= 0.0717123
z= 2.92799 + 47.8432 I
zn= 2.93728 + 47.8472 I
vv= 0.383844
good

second try:

```

no= 9 y= 48.0052 b= 20 c= 9
 zna= 2.92799 + 47.8432 I
 zn= 2.92799 + 47.8432 I
 rd= 0.0717123 rad= 0.0358562
 angles over the rd*rad rectangle:
 1 -0.426895
 2 -0.849362
 3 -1.34599
 4 -2.0717
 5 -3.01717
 5 1 -3.25357
 5 2 -3.57341
 5 3 -3.8698
 6 -4.10193
 7 -5.0508
 8 -5.76695
 9 -6.29659
 10 -6.70618
 char= 0.000621347 fo= 0
 rd= 0.0717123 rad= 0.0358562
 z= 2.92617 + 47.8424 I
 zn= 2.92799 + 47.8432 I
 vv= 0.528196
 good

very good
 iterations do not work

no= 9 y= 48.0052 b= 20 c= 9
 zna= 2.92617 + 47.8424 I
 zn= 2.9268 + 47.8427 I
 rd= 0.0358562 rad= 0.0179281
 angles over the rd*rad rectangle:
 1 -1.0289
 2 -1.42916
 3 -1.97926
 4 -2.72265
 5 -3.64737
 5 1 -3.90746
 5 2 -4.19868
 5 3 -4.47038
 6 -4.76644
 6 1 -4.95629
 6 2 -5.30599
 6 3 -5.48123
 7 -5.79693
 8 -6.38006
 9 -6.92474
 10 -7.31209
 char= 0. fo= 0
 rd= 0.0358562 rad= 0.0179281
 z= 2.92592 + 47.8424 I
 zn= 2.9268 + 47.8427 I
 vv= 0.487768
 good